

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	2489	(427/523-531).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:23
2	L2	3771	((427/576,564) or (204/192.15,192.16,192.38)).C CLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:23
3	L3	1193	(L1 or L2) and (DC "D.C." direct adj current) and (RF "R.F." (radio high low) adj frequency HF "H.F." alternating adj current AC "A.C.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:23
4	L4	367	L3 and ((ion plasma) adj plat\$4 or bias\$4 adj (substrate piece peice work workpeice workpiece holder object article))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:23
5	L5	144	L4 and (filament coil basket)with(source depositant evaporant deposition target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:25
6	L6	5	L5 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:28
7	L7	198	L4 and (filament coil basket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:28

09/427,775 - update + interface search  
+ extended picture search

2

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	54	L7 not L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:28
9	✓ L9	3	L8 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:30
10	L10	169	L4 not (L5 or L7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:30
11	✓ L11	10	L10 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:30

Supplemental

3

	L #	Hits	Search Text	DBs	Time Stamp
8	L10	169	L4 not (L5 or L7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:30
9	L6	5	L5 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:35
10	L9	3	L8 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:48
11	L11	10	L10 and @pd>"20060320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 16:59
12	L12	11968	((204/192.17-192.37) or (427/569-578,580,566)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 17:11
13	L13	2776	(L12) and (DC "D.C." direct adj current) and (RF "R.F." (radio high low) adj frequency HF "H.F." alternating adj current AC "A.C.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 17:12
14	L14	610	L13 and ((ion plasma) adj plat\$4 or bias\$4 adj (substrate piece piece work workpiece workpiece holder object article))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 17:13

4

	L #	Hits	Search Text	DBs	Time Stamp
15	L15	386	L14 not (L5 or L8 or L10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/03/06 17:13